

---

**16 October 2025**

**ERRATUM**  
**(RFQ No. 6589/20/10/2025)**

**Request for Quotation (RFQ) for the building façade renovations at the CSIR Pretoria, Scientia Campus**

On Friday, 03 October 2025, the Council for Scientific and Industrial Research (CSIR) invited bidders to submit quotations for the above-mentioned RFQ which was closing on, 20 October 2025.

The CSIR appreciates your interest in responding to the Request for Quotation.

Please note the following changes in the advertised tender document:

1. We have added line-item number 15, Removal of the existing burglar bars.
2. We Have added line-item number 16, Re-installation of the existing burglar bars.

**Note: Please see the revised pricing Schedule Below:**

## Annexure B

## Pricing Schedule

Item No	Description	UoM	Quantity	Unit Price																		
1	Prepare the exterior columns ,prime the columns,up-stands,beams with suitable high quality exterior primer paint for best adhesion.	M <sup>2</sup>	1325	R																		
2	Supply and re painting of the exterior columns ,up stands,down stands,beams with Plascon or equivalent Professional superior Satin Hour Grey paint ( Code : Y4-E2-E2) ExCo1/ExRo1 and ExCo2/ExR03.	M <sup>2</sup>	1325	R																		
3	Removal of the damaged window putty , thoroughly clean the frame ,address any rust or damage and ensure the surface is dry and primed with high quality suitable primer paint for window frames. <table border="1"><thead><tr><th>Size of the window frames</th><th>Quantity</th></tr></thead><tbody><tr><td>3.6m x 2.2m</td><td>48</td></tr><tr><td>3.6m x 2m</td><td>11</td></tr><tr><td>3.4m x 1.2m</td><td>6</td></tr><tr><td>3.3m x 400mm</td><td>6</td></tr><tr><td>2m x 350mm</td><td>6</td></tr><tr><td>3.6m x 3.3m</td><td>8</td></tr><tr><td>1.8m x 1.4m</td><td>5</td></tr><tr><td>3.5m x 500mm</td><td>12</td></tr></tbody></table>	Size of the window frames	Quantity	3.6m x 2.2m	48	3.6m x 2m	11	3.4m x 1.2m	6	3.3m x 400mm	6	2m x 350mm	6	3.6m x 3.3m	8	1.8m x 1.4m	5	3.5m x 500mm	12	Each	102	R
Size of the window frames	Quantity																					
3.6m x 2.2m	48																					
3.6m x 2m	11																					
3.4m x 1.2m	6																					
3.3m x 400mm	6																					
2m x 350mm	6																					
3.6m x 3.3m	8																					
1.8m x 1.4m	5																					
3.5m x 500mm	12																					
3	Prepare, supply and apply high strength window putty onto the existing windows and re paint the windows with dark onyx water based enamel paint <table border="1"><thead><tr><th>Size of the window frames</th><th>Quantity</th></tr></thead><tbody><tr><td>3.6m x 2.2m</td><td>48</td></tr><tr><td>3.6m x 2m</td><td>11</td></tr><tr><td>3.4m x 1.2m</td><td>6</td></tr><tr><td>3.3m x 400mm</td><td>6</td></tr><tr><td>2m x 350mm</td><td>6</td></tr><tr><td>3.6m x 3.3m</td><td>8</td></tr><tr><td>1.8m x 1.4m</td><td>5</td></tr><tr><td>3.5m x 500mm</td><td>12</td></tr></tbody></table>	Size of the window frames	Quantity	3.6m x 2.2m	48	3.6m x 2m	11	3.4m x 1.2m	6	3.3m x 400mm	6	2m x 350mm	6	3.6m x 3.3m	8	1.8m x 1.4m	5	3.5m x 500mm	12	Each	102	R
Size of the window frames	Quantity																					
3.6m x 2.2m	48																					
3.6m x 2m	11																					
3.4m x 1.2m	6																					
3.3m x 400mm	6																					
2m x 350mm	6																					
3.6m x 3.3m	8																					
1.8m x 1.4m	5																					
3.5m x 500mm	12																					
4	Removal of the existing window tint by softening the adhesive , scrapping off the film and cleaning the glass <table border="1"><thead><tr><th>Size of the window frames</th><th>Quantity</th></tr></thead><tbody><tr><td>3.6m x 2.2m</td><td>48</td></tr></tbody></table>	Size of the window frames	Quantity	3.6m x 2.2m	48	M <sup>2</sup>	554	R														
Size of the window frames	Quantity																					
3.6m x 2.2m	48																					

	<table><tr><td>3.6m x 2m</td><td>11</td></tr><tr><td>3.4m x 1.2m</td><td>6</td></tr><tr><td>3.3m x 400mm</td><td>6</td></tr><tr><td>2m x 350mm</td><td>6</td></tr><tr><td>3.6m x 3.3m</td><td>8</td></tr><tr><td>1.8m x 1.4m</td><td>5</td></tr><tr><td>3.5m x 500mm</td><td>12</td></tr></table>	3.6m x 2m	11	3.4m x 1.2m	6	3.3m x 400mm	6	2m x 350mm	6	3.6m x 3.3m	8	1.8m x 1.4m	5	3.5m x 500mm	12							
3.6m x 2m	11																					
3.4m x 1.2m	6																					
3.3m x 400mm	6																					
2m x 350mm	6																					
3.6m x 3.3m	8																					
1.8m x 1.4m	5																					
3.5m x 500mm	12																					
5	Supply and re painting of the window frames with dark onyx water based enamel paint <table><tr><th>Size of the window frames</th><th>Quantity</th></tr><tr><td>3.6m x 2.2m</td><td>48</td></tr><tr><td>3.6m x 2m</td><td>11</td></tr><tr><td>3.4m x 1.2m</td><td>6</td></tr><tr><td>3.3m x 400mm</td><td>6</td></tr><tr><td>2m x 350mm</td><td>6</td></tr><tr><td>3.6m x 3.3m</td><td>8</td></tr><tr><td>1.8m x 1.4m</td><td>5</td></tr><tr><td>3.5m x 500mm</td><td>12</td></tr></table>	Size of the window frames	Quantity	3.6m x 2.2m	48	3.6m x 2m	11	3.4m x 1.2m	6	3.3m x 400mm	6	2m x 350mm	6	3.6m x 3.3m	8	1.8m x 1.4m	5	3.5m x 500mm	12	Each	102	R
Size of the window frames	Quantity																					
3.6m x 2.2m	48																					
3.6m x 2m	11																					
3.4m x 1.2m	6																					
3.3m x 400mm	6																					
2m x 350mm	6																					
3.6m x 3.3m	8																					
1.8m x 1.4m	5																					
3.5m x 500mm	12																					
6	Prepare ,Supply and re painting of the fresh air louvers with dark onyx water based enamel paint, size of the louvers is 800mmx 600mm x 8	Each	08	R																		
7	Prepare ,Supply and re painting of the external electrical light fittings with dark onyx water based enamel paint ,size of the light fitting is 1.2m x 250mm x 14	Each	14	R																		
8	Prepare ,Supply and re painting of the air-conditioning brackets for 24 Air-conditioning units to match the existing colour of the paint	Each	24	R																		
9	Prepare ,Supply and re painting of the steel element at the main reception to match the existing colour of the steel element ,size of the steel element 8mx1mx1 and 8m x 300mm x1 and 90mm round beam that support the facade canopy	Each	01	R																		
10	Prepare ,Supply and re painting of the parapet walls railings or balustrades with dark onyx water based enamel paint, size of the balustrades is 96m excluding cross bars	Each	Sum	R																		
11	Allow for the supply ,installation and certification of the scaffolding to access the high areas	Each	01	R																		
12	Prepare the window sill tiles and re painting of the window sill tiles with Plascon dark onyx water based enamel paint , Window sill tiles to be painted are 96 and vary on sizes of the window sill tiles 150mmx150mm	M <sup>2</sup>	97	R																		

13	Provisional Sum ( The Provisional sum is for the unforeseen work such as the replacement of the broken glass)	Each	R100 000	R100 000	
14	Supply and installation of reflective one way silver window tint 88% glare rejection from the sunlight		M <sup>2</sup>	554	R
	Size of the windows	Quantity			
	3.6mx2.2m	48			
	3.6m x2m	11			
	3.4mx1.2m	6			
	3.3mx400mm	6			
	2m x350mm	6			
	3.6m x3.3m	8			
	1.8mx 1.4m	5			
	3.5mx500mm	12			
15	Removal of the existing burglar bars as per the below measurements.		Each	18	R
	Size of the burglar bars	Quantity			
	3.6m x 2.2m	04			
	3.4m x 1.2m	02			
	2m x1.2m	01			
	2.1mx1.6m	01			
	1.2mx1.2m	01			
	3.5m x1.6m	07			
	1.8m x 800mm	02			
16	Re installation of the existing burglar bars as per the below measurements		Each	18	R
	Size of the window frames	Quantity			
	3.6m x 2.2m	04			
	3.4m x 1.2m	02			
	2m x 1.2m	01			
	2.1mx1.6m	01			
	1.2m x1.2m	01			
	3.5m x 1.6m	07			
	1.8m x 800mm	02			
Total Price (VAT Excl)					
VAT (15%)					
Total Price (VAT Incl)					

3. New Last date for submission of enquiries/clarifications Thursday, 23 October 2025 at 16:30.
4. New closing time and date Thursday, 30 October 2025 at 16:30

All other terms of the RFQ document remain unchanged.

The CSIR wishes to encourage you to submit a response to this tender, and to apologise for any inconveniences caused as a result of this erratum.

**Enquiries may be directed to [tender@csir.co.za](mailto:tender@csir.co.za)** (Please use RFQ number as subject reference)