



08 January 2026

ERRATUM ONE

RFQ NO: 6628-12-01-2026: The supply of Fibre Optic Patch Leads to the CSIR

On the 03 December 2025, the Council for Scientific and Industrial Research (CSIR) invited suitably qualified and experienced service providers to submit proposals for the above-mentioned RFQ. The original closing/submission date for the tender is 12 January 2026.

1. Amendment of RFQ Specification and Pricing Schedule as per attached **Annexure A** below.
2. The closing date of the RFQ has been moved from 12 January 2026 at 16:30 to **22 January 2026 at 16:30**.

The CSIR appreciates your interest in responding to the Request for Quotation (RFQ). The CSIR wishes to encourage you to submit a response to this tender and apologise for any inconvenience caused.

Enquiries may be directed to tender@csir.co.za

Annexure A

Please note the following changes in the advertised RFQ documents in red:

- Page 2 section 3 specification, Page 11 Specification.

No.	Part no.	CONNECTORS	DESCRIPTION	LENGTH (m)	QTY	Comment
1	SMLCDX	LC/UPC to LC/UPC	Single Mode, G657A, Duplex	0.5	50	• Cable OD: 2.0mm • Jacket material: PVC • Fiber type: G657A1 • IL/RL performance requirement Standard (Loss: ≤0.3dB, Return Loss: ≥50dB)
2				1	100	
3				2	100	
4				5	30	
5				15	50	
6				20	50	
7	SMLCDX	LC/UPC to LC/APC	Single Mode, G657A, Duplex	0.5	30	
8				1	30	
9				2	30	
10				5	30	
11				15	30	
12				20	50	
13	SMLCLSHDX	LC/UPC to LSH/APC	Single Mode, G657A, Duplex	5	30	
14	AM-OS2XXDX	LC/UPC to LSH/APC	Single Mode, G657A, Duplex, Armoured	20	20	
15	XXMTPOM4	MTP-12 to MTP-12 Female, Type B	Multimode MTP, 12 Fibres	3	15	• End-face type: UPC • Grade: Elite
16				10	5	
17	Delivery Costs to the CSIR Main Campus, Building 43, Meiring Naude Ave, Brummeria, Pretoria, 0184				1	

- Page 12 Pricing schedule

No.	Part no.	CONNECTORS	DESCRIPTION	LENGTH (m)	QTY	Unit Price (VAT Excl) Total Price (VAT Excl)	Unit Price (VAT Excl) Total Price (VAT Excl)	Comment
1	SMLCDX	LC/UPC to LC/UPC	Single Mode, G657A, Duplex	0.5	50			• Cable OD: 2.0mm • Jacket material: PVC • Fiber type: G657A1 • IL/RL performance requirement Standard (Loss: ≤0.3dB, Return Loss: ≥50dB)
2				1	100			
3				2	100			
4				5	30			
5				15	50			
6				20	50			
7	SMLCDX	LC/UPC to LC/APC	Single Mode, G657A, Duplex	0.5	30			
8				1	30			
9				2	30			
10				5	30			
11				15	30			
12				20	50			
13	SMLCLSHDX	LC/UPC to LSH/APC	Single Mode, G657A, Duplex	5	30			
14	AM- OS2XXDX	LC/UPC to LSH/APC	Single Mode, G657A, Duplex, Armoured	20	20			
15	XXMTPOM4	MTP-12 to MTP- 12 Female, Type B	Multimode MTP, 12 Fibres	3	15			• End-face type: UPC • Grade: Elite • Jacket material LSZH, this is the plenum (OFNP) material
16				10	5			
17	Delivery Costs to the CSIR Main Campus, Building 43, Meiring Naude Ave, Brummeria, Pretoria, 0184				1			
Total Price (VAT Excl)								
VAT (15%)								
Total Price (VAT Incl)								